Author Index to Volume 159

Ågren, H., S. Knuts, K.V. Mikkelsen and H.J.Aa. Jensen, Solvatochromatic shifts studied by multi-configuration self-consistent reaction field theory. Application to azabenzenes 159 (1992) 211

Banjavčić, M.P., see T. Daniels 159 (1992) 289

Benderskii, V.A., V.I. Goldanskii and D.E. Makarov, Two-dimensional trajectories of tunneling in the symmetric double-well potential 159 (1992) 29

Bersuker, I.B., see V.Z. Polinger 159 (1992) 75

Biggs, P., see J. Wildt 159 (1992) 127

Billing, G.D., Quantum-classical reaction path model for chemical reactions. IV. The reaction $Cl^- + CH_3Cl \rightarrow ClCH_3 + Cl^-$ 159 (1992) 109

Blaise, P., M. Giry and O. Henri-Rousseau, Driven damped harmonic oscillators perturbed by the parity operator 159 (1992) 169

Bosch, E., M. Moreno and J.M. Lluch, A semiclassical simulation for tunneling dynamics of malonaldehyde and hydrogenoxalate anion 159 (1992) 99

Brion, C.E., see P. Duffy 159 (1992) 347

Brosolo, M. and P. Decleva, Variational approach to continuum orbitals in a spline basis: an application to H_2^+ photoionization 159 (1992) 185

Casarin, M., G. Granozzi, E. Tondello and A. Vittadini, A theoretical investigation of the electronic structure, hyperfine properties and binding energies of muonium centres in cuprous chloride 159 (1992) 365

Casida, M.E., see P. Duffy 159 (1992) 347

Chakraborty, T. and M. Chowdhury, Fluorescence excitation spectrum of 1,8-disubstituted naphthalenes in supersonic jet 159 (1992) 439

Chapuisat, X., see C. Saint-Espès 159 (1992) 377

Chapuisat, X. and C. Saint-Espès, A weak-mode representation of floppy molecules. II. Kinetic energy and total Hamiltonian matrix 159 (1992) 391

Charutz, D.M. and R.D. Levine, The dynamics of dressed variables 159 (1992) 321

Chong, D.P., see P. Duffy 159 (1992) 347

Chowdhury, M., see T. Chakraborty 159 (1992) 439

Cossart-Magos, C., see F. Morlet-Savary 159 (1992) 303

Cuadros, F. and A. Mulero, The radial distribution function for two-dimensional Lennard-Jones fluids: computer simulation results 159 (1992) 89

Cukrowski, A.S., A.L. Kawczyński, J. Popielawski, W. Stiller and R. Schmidt, Interaction between two chemical reactions in gases. The nonequilibrium effects from the Boltzmann and Fokker–Planck equations within a Lorentz gas model 159 (1992) 39

Daniels, T., H. Zhu, M.P. Banjavčić and K.T. Leung, Valence-shell electron momentum distributions and ionization energy spectra of tetramethylsilane by symmetric noncoplanar (e, 2e) spectroscopy 159 (1992) 289

Decleva, P., see M. Brosolo 159 (1992) 185

Dimicoli, I., see F. Morlet-Savary 159 (1992) 303
Duffy, P., M.E. Casida, C.E. Brion and D.P. Chong, Assessment of Gaussian-weighted angular resolution functions in the comparison of quantum-mechanically calculated electron momentum distributions with experiment 159 (1992) 347

Farantos, S.C., The importance of periodic orbits in analysing photodissociation resonances: the O_3 case 159 (1992) 329
Fink, E.H., see J. Wildt 159 (1992) 127

Gale, G.M., see P. Schanne 159 (1992) 1
Giry, M., see P. Blaise 159 (1992) 169
Goldanskii, V.I., see V.A. Benderskii 159 (1992) 29
Gorinchoi, N.N., see V.Z. Polinger 159 (1992) 75
Granozzi, G., see M. Casarin 159 (1992) 365

Hald, M. and J.P. Jacobsen, ^{23}Na relaxation in DNA solutions. Influence of intercalation on correlation times and coupling constants 159 (1992) 257
Halvick, P., see M. Monnerville 159 (1992) 227
Henri-Rousseau, O., see P. Blaise 159 (1992) 169
Hermansson, K., From cluster to crystal: ab initio calculations of the OH^- frequency in lithium hydroxide monohydrate 159 (1992) 67
Heyes, D.M., Chemical potential, partial enthalpy and partial volume of mixtures by *NPT* molecular dynamics 159 (1992) 149
Holmlid, L., see E. Wallin 159 (1992) 313

Jacobsen, J.P., see M. Hald 159 (1992) 257
Jensen, H.J.Aa., see H. Ågren 159 (1992) 211

Kawczyński, A.L., see A.S. Cukrowski 159 (1992) 39
Kirski, T., see B. Stein 159 (1992) 269
Klimo, V., J. Urban and J. Tiňo, Quasiclassical trajectory study of the effect of reactant rotation on the reaction $B^+ + HD \rightarrow BH^+(BD^+) + D(H)$ 159 (1992) 141
Knuts, S., see H. Ågren 159 (1992) 211
Kolenda, J., see B. Stein 159 (1992) 269

Leung, K.T., see T. Daniels 159 (1992) 289
Levine, R.D., see D.M. Charutz 159 (1992) 321
Lluch, J.M., see E. Bosch 159 (1992) 99

Makarov, D.E., see V.A. Benderskii 159 (1992) 29
Mikkelsen, K.V., see H. Ågren 159 (1992) 211
Moc, J., J.M. Rudziński and H. Ratajczak, Comparative study on the structures and energies of the SiX_3, GeX_3 and SnX_3 series of radicals (X=H, F, Cl) 159 (1992) 197
Monnerville, M., P. Halvick and J.C. Rayez, Time-dependent calculation of the energy resolved state-to-state transition probabilities for three-atom exchange reactions 159 (1992) 227
Moreno, M., see E. Bosch 159 (1992) 99

Morlet-Savary, F., I. Dimicoli, C. Cossart-Magos and J.E. Parkin, Characterization of the $\tilde{B}\leftarrow\tilde{X}$ transition of the chlorobenzene cation prepared in non-equilibrium rotational population distributions by resonance enhanced multiphoton ionization 159 (1992) 303
Moro, G.J., Master equation for site distributions describing barrier crossing in the presence of anisotropic diffusion 159 (1992) 421
Mulero, A., see F. Cuadros 159 (1992) 89

Nelander, B., A matrix isolation study of the water–formaldehyde complex. The far-infrared region 159 (1992) 281

Parkin, J.E., see F. Morlet-Savary 159 (1992) 303
Polinger, V.Z., N.N. Gorinchoi and I.B. Bersuker, MO LCAO analysis of the vibronic instability of the $CuCl_5^{3-}$ trigonal bipyramidal configuration. Critical view on the angular overlap model in vibronic problems 159 (1992) 75
Popielawski, J., see A.S. Cukrowski 159 (1992) 39

Ratajczak, H., see J. Moc 159 (1992) 197
Rayez, J.C., see M. Monnerville 159 (1992) 227
Rothamel, F., see B. Stein 159 (1992) 269
Rudziński, J.M., see J. Moc 159 (1992) 197

Saint-Espès, C., X. Chapuisat and F. Schneider, A weak-mode representation of floppy molecules. I. Potential energy 159 (1992) 377
Saint-Espès, C., see X. Chapuisat 159 (1992) 391
Schanne, P. and G.M. Gale, Interference and Fermi-resonant two-vibron bound states 159 (1992) 1
Schmidt, R., see A.S. Cukrowski 159 (1992) 39
Schneider, F., see C. Saint-Espès 159 (1992) 377
Schneider, W. and W. Thiel, Ab initio calculation of anharmonic force fields for the methyl, silyl, germyl, and stannyl halides 159 (1992) 49
Schurath, U., see M. Winter 159 (1992) 235
Schurath, U., see K. Seranski 159 (1992) 247
Seranski, K., see M. Winter 159 (1992) 235
Seranski, K., M. Winter and U. Schurath, Site-resolved vibronic spectra of matrix-isolated NBr: comparison with model calculations 159 (1992) 247
Snider, N., Energy transfer distributions for classical, collinear atom–diatom collisions 159 (1992) 339
Stein, B., F. Rothamel, T. Kirski, J. Kolenda and C. von Borczyskowski, Optical and ODMR spectroscopy of an induced triplet X-trap in 1,4-dibromobenzene single crystals 159 (1992) 269
Stiller, W., see A.S. Cukrowski 159 (1992) 39

Thiel, W., see W. Schneider 159 (1992) 49
Tiňo, J., see V. Klimo 159 (1992) 141
Tondello, E., see M. Casarin 159 (1992) 365

Urban, J., see V. Klimo 159 (1992) 141

Vilesov, A.F., see J. Wildt 159 (1992) 127
Vittadini, A., see M. Casarin 159 (1992) 365

Von Borczyskowski, C., see B. Stein 159 (1992) 269
Von Niessen, W., see W. Wardermann 159 (1992) 11

Wallin, E. and L. Holmlid, Excited states of hydrogen emitted from a graphite diffusion source: Arrhenius behaviour 159 (1992) 313
Wardermann, W. and W. von Niessen, Satellite lines at the ionization threshold in charge transfer systems 159 (1992) 11
Wayne, R.P., see J. Wildt 159 (1992) 127
Wildt, J., E.H. Fink, P. Biggs, R.P. Wayne and A.F. Vilesov, Collision-induced emission of $O_2(a\,^1\Delta_g \rightarrow X\,^3\Sigma_g^-)$ in the gas phase 159 (1992) 127
Winter, M., K. Seranski and U. Schurath, Site effects in spectra of matrix-isolated diatomic molecules: a modelling approach 159 (1992) 235
Winter, M., see K. Seranski 159 (1992) 247

Zhu, H., see T. Daniels 159 (1992) 289

List of Subjects

1 Methods

1.1 Theoretical

1.1.1 Group theory and algebras
1.1.2 Classical mechanics *
1.1.3 Quantized field theory
1.1.4 Many body and quasiparticle approaches *
1.1.5 Coupling schemes and perturbative treatments *
1.1.6 Relativistic quantum mechanics
1.1.7 Transport quantum mechanics *
1.1.8 Equilibrium statistical mechanics
1.1.9 Statistical mechanics of stationary states *
1.1.10 Non-equilibrium thermodynamic and hydrodynamic theories *
1.1.11 Ab initio schemes for stationary properties *
1.1.12 Computational and simulation methods *
1.1.13 Molecular dynamics and scattering theory *

1.2 Experimental

1.2.1 Magnetic resonances *
1.2.2 Cyclotron resonance
1.2.3 Microwave spectroscopy
1.2.4 Infrared spectroscopy *
1.2.5 Raman spectroscopy
1.2.6 Visible and UV spectroscopy *
1.2.7 Fluorescence spectroscopy *
1.2.8 Photoelectron and Auger spectroscopy
1.2.9 X-ray spectroscopy
1.2.10 Electron impact spectroscopy *
1.2.11 Laser methods *
1.2.12 Picosecond spectroscopy
1.2.13 Non-linear optical spectroscopy
1.2.14 Synchrotron spectroscopies
1.2.15 Coherent optical spectroscopy
1.2.16 Optical pumping
1.2.17 Multiple resonance spectroscopy
1.2.18 Optoacoustic spectroscopy
1.2.19 Atomic and molecular beam techniques *
1.2.20 Time-resolved experiments
1.2.21 Mass spectrometry *
1.2.22 Radiolysis
1.2.23 Mössbauer spectroscopy
1.2.24 X-ray, electron and neutron diffraction
1.2.25 Neutron scattering
1.2.26 Light scattering
1.2.27 Field emission and field ionization *
1.2.28 Measurement of macroscopic variables

2 Objects

2.1 Bulk systems

2.1.1 Gases *
2.1.2 Supersonic beams *
2.1.3 Liquids neat
2.1.4 Liquid mixtures and solutions *
2.1.5 Crystals *
2.1.5.1 neat *
2.1.5.2 mixed *
2.1.6 Glasses
2.1.7 Liquid crystals
2.1.8 Polymers
2.1.9 Semiconductors
2.1.10 Metals and alloys
2.1.11 Thin films
2.1.12 Surfaces
2.1.13 Low-dimensional materials *
2.1.14 Dielectrics
2.1.15 Plasmas
2.1.16 Biological systems

2.2 Microscopic systems

2.2.1 Atoms *
2.2.2 Molecules (neutral and ionic) *
2.2.2.1 diatomic *
2.2.2.2 small polyatomics *
2.2.2.3 aromatics *
2.2.2.4 other large
2.2.2.5 polymeric and biological *
2.2.3 Molecular aggregates *
2.2.3.1 dimers *
2.2.3.2 van der Waals molecules
2.2.3.3 clusters *
2.2.3.4 complexes *
2.2.4 Free radicals (including hydronium and muonium) *
2.2.5 Quasiparticles (including excitons)
2.2.6 Defects and impurities *
2.2.7 Ions and charge carriers

* Denotes subjects covered in this volume

3 Phenomena

3.1 Molecular structure *
3.2 Vibrations and rotations of molecules *
3.3 Electronic structure and states *
3.4 Electric and magnetic properties *
3.5 Spin splittings
3.6 Optical activity
3.7 Molecular interactions *
3.8 Spectral bandshapes and intensities *
3.9 Coupling of electronic and nuclear motion *
3.10 Energy transfer processes *
3.11 Molecular photophysical processes
3.12 Intramolecular dynamics *
3.12.1 radiationless transitions
3.12.2 vibrational energy redistribution (including vibrational dissociation) *
3.13 Luminescence spectra, yields and lifetimes *
3.14 Coherence loss processes *
3.15 Non-linear responses (including optical)
3.16 Multiphoton phenomena
3.17 Reactions (including dissociation) *
3.17.1 gas phase *
3.17.2 condensed phase *
3.17.3 photochemical
3.18 Tunnelling *
3.19 Electron transfer
3.20 Positron annihilation
3.21 Ionization (including Rydberg states) *
3.22 Molecular motion (including diffusive) *
3.23 Isotopic effects
3.24 Fluctuations and noise
3.25 Collective motion and excitations
3.26 Surface effects and catalysis
3.27 Thermodynamic and transport properties *
3.28 Structure of solids and liquids *
3.29 Critical phenomena
3.30 Phase transitions

Subject Index to Volume 159

Methods

Theoretical

Classical mechanics

Two-dimensional trajectories of tunneling in the symmetric double-well potential, V.A. Benderskii, V.I. Goldanskii and D.E. Makarov 159 (1992) 29
Quasiclassical trajectory study of the effect of reactant rotation on the reaction $B^+ + HD \rightarrow BH^+(BD^+) + D(H)$, V. Klimo, J. Urban and J. Tiňo 159 (1992) 141
The dynamics of dressed variables, D.M. Charutz and R.D. Levine 159 (1992) 321
The importance of periodic orbits in analysing photodissociation resonances: the O_3 case, S.C. Farantos 159 (1992) 329
Energy transfer distributions for classical, collinear atom–diatom collisions, N. Snider 159 (1992) 339

Many body and quasiparticle approaches

Interference and Fermi-resonant two-vibron bound states, P. Schanne and G.M. Gale 159 (1992) 1
Satellite lines at the ionization threshold in charge transfer systems, W. Wardermann and W. von Niessen 159 (1992) 11
Chemical potential, partial enthalpy and partial volume of mixtures by *NPT* molecular dynamics, D.M. Heyes 159 (1992) 149
The dynamics of dressed variables, D.M. Charutz and R.D. Levine 159 (1992) 321

Coupling schemes and perturbative treatments

Driven damped harmonic oscillators perturbed by the parity operator, P. Blaise, M. Giry and O. Henri-Rousseau 159 (1992) 169

Transport quantum mechanics

Two-dimensional trajectories of tunneling in the symmetric double-well potential, V.A. Benderskii, V.I. Goldanskii and D.E. Makarov 159 (1992) 29

Statistical mechanics of stationary states

Interaction between two chemical reactions in gases. The nonequilibrium effects from the Boltzmann and Fokker–Planck equations within a Lorentz gas model, A.S. Cukrowski, A.L. Kawczyński, J. Popielawski, W. Stiller and R. Schmidt 159 (1992) 39
Chemical potential, partial enthalpy and partial volume of mixtures by *NPT* molecular dynamics, D.M. Heyes 159 (1992) 149

Non-equilibrium thermodynamic and hydrodynamic theories

Driven damped harmonic oscillators perturbed by the parity operator, P. Blaise, M. Giry and O. Henri-Rousseau 159 (1992) 169

Ab initio schemes for stationary properties

Ab initio calculation of anharmonic force fields for the methyl, silyl, germyl, and stannyl halides, W. Schneider and W. Thiel 159 (1992) 49

From cluster to crystal: ab initio calculations of the OH^- frequency in lithium hydroxide monohydrate, K. Hermansson 159 (1992) 67

Variational approach to continuum orbitals in a spline basis: an application to H_2^+ photoionization, M. Brosolo and P. Decleva 159 (1992) 185

Comparative study on the structures and energies of the SiX_3, GeX_3 and SnX_3 series of radicals (X=H, F, Cl), J. Moc, J.M. Rudziński and H. Ratajczak 159 (1992) 197

Solvatochromatic shifts studied by multi-configuration self-consistent reaction field theory. Application to azabenzenes, H. Ågren, S. Knuts, K.V. Mikkelsen and H.J.Aa. Jensen 159 (1992) 211

Computational and simulation methods

MO LCAO analysis of the vibronic instability of the $CuCl_5^{3-}$ trigonal bipyramidal configuration. Critical view on the angular overlap model in vibronic problems, V.Z. Polinger, N.N. Gorinchoi and I.B. Bersuker 159 (1992) 75

The radial distribution function for two-dimensional Lennard-Jones fluids: computer simulation results, F. Cuadros and A. Mulero 159 (1992) 89

A semiclassical simulation for tunneling dynamics of malonaldehyde and hydrogenoxalate anion, E. Bosch, M. Moreno and J.M. Lluch 159 (1992) 99

Quasiclassical trajectory study of the effect of reactant rotation on the reaction $B^+ + HD \rightarrow BH^+(BD^+) + D(H)$, V. Klimo, J. Urban and J. Tiňo 159 (1992) 141

Chemical potential, partial enthalpy and partial volume of mixtures by *NPT* molecular dynamics, D.M. Heyes 159 (1992) 149

Site effects in spectra of matrix-isolated diatomic molecules: a modelling approach, M. Winter, K. Seranski and U. Schurath 159 (1992) 235

The dynamics of dressed variables, D.M. Charutz and R.D. Levine 159 (1992) 321

Assessment of Gaussian-weighted angular resolution functions in the comparison of quantum-mechanically calculated electron momentum distributions with experiment, P. Duffy, M.E. Casida, C.E. Brion and D.P. Chong 159 (1992) 347

A theoretical investigation of the electronic structure, hyperfine properties and binding energies of muonium centres in cuprous chloride, M. Casarin, G. Granozzi, E. Tondello and A. Vittadini 159 (1992) 365

Molecular dynamics and scattering theory

The radial distribution function for two-dimensional Lennard-Jones fluids: computer simulation results, F. Cuadros and A. Mulero 159 (1992) 89

A semiclassical simulation for tunneling dynamics of malonaldehyde and hydrogenoxalate anion, E. Bosch, M. Moreno and J.M. Lluch 159 (1992) 99

Quantum-classical reaction path model for chemical reactions. IV. The reaction $Cl^- + CH_3Cl \rightarrow ClCH_3 + Cl^-$, G.D. Billing 159 (1992) 109

Quasiclassical trajectory study of the effect of reactant rotation on the reaction $B^+ + HD \rightarrow BH^+(BD^+) + D(H)$, V. Klimo, J. Urban and J. Tiňo 159 (1992) 141

Variational approach to continuum orbitals in a spline basis: an application to H_2^+ photoionization, M. Brosolo and P. Decleva 159 (1992) 185

Time-dependent calculation of the energy resolved state-to-state transition probabilities for three-atom exchange reactions, M. Monnerville, P. Halvick and J.C. Rayez 159 (1992) 227

The importance of periodic orbits in analysing photodissociation resonances: the O_3 case, S.C. Farantos 159 (1992) 329
Energy transfer distributions for classical, collinear atom–diatom collisions, N. Snider 159 (1992) 339
A weak-mode representation of floppy molecules. I. Potential energy, C. Saint-Espès, X. Chapuisat and F. Schneider 159 (1992) 377
A weak-mode representation of floppy molecules. II. Kinetic energy and total Hamiltonian matrix, X. Chapuisat and C. Saint-Espès 159 (1992) 391
Master equation for site distributions describing barrier crossing in the presence of anisotropic diffusion, G.J. Moro 159 (1992) 421

Experimental

Magnetic resonances

^{23}Na relaxation in DNA solutions. Influence of intercalation on correlation times and coupling constants, M. Hald and J.P. Jacobsen 159 (1992) 257
Optical and ODMR spectroscopy of an induced triplet X-trap in 1,4-dibromobenzene single crystals, B. Stein, F. Rothamel, T. Kirski, J. Kolenda and C. von Borczyskowski 159 (1992) 269

Infrared spectroscopy

Collision-induced emission of $O_2(a\,^1\Delta_g \rightarrow X\,^3\Sigma_g^-)$ in the gas phase, J. Wildt, E.H. Fink, P. Biggs, R.P. Wayne and A.F. Vilesov 159 (1992) 127
A matrix isolation study of the water–formaldehyde complex. The far-infrared region, B. Nelander 159 (1992) 281

Visible and UV spectroscopy

Collision-induced emission of $O_2(a\,^1\Delta_g \rightarrow X\,^3\Sigma_g^-)$ in the gas phase, J. Wildt, E.H. Fink, P. Biggs, R.P. Wayne and A.F. Vilesov 159 (1992) 127

Fluorescence spectroscopy

Site-resolved vibronic spectra of matrix-isolated NBr: comparison with model calculations, K. Seranski, M. Winter and U. Schurath 159 (1992) 247
Optical and ODMR spectroscopy of an induced triplet X-trap in 1,4-dibromobenzene single crystals, B. Stein, F. Rothamel, T. Kirski, J. Kolenda and C. von Borczyskowski 159 (1992) 269
Fluorescence excitation spectrum of 1,8-disubstituted naphthalenes in supersonic jet, T. Chakraborty and M. Chowdhury 159 (1992) 439

Electron impact spectroscopy

Valence-shell electron momentum distributions and ionization energy spectra of tetramethylsilane by symmetric noncoplanar (e, 2e) spectroscopy, T. Daniels, H. Zhu, M.P. Banjavčić and K.T. Leung 159 (1992) 289
Assessment of Gaussian-weighted angular resolution functions in the comparison of quantum-mechanically calculated electron momentum distributions with experiment, P. Duffy, M.E. Casida, C.E. Brion and D.P. Chong 159 (1992) 347

Laser methods

Fluorescence excitation spectrum of 1,8-disubstituted naphthalenes in supersonic jet, T. Chakraborty and M. Chowdhury 159 (1992) 439

Atomic and molecular beam techniques
Excited states of hydrogen emitted from a graphite diffusion source: Arrhenius behaviour, E. Wallin and L. Holmlid 159 (1992) 313

Mass spectrometry
Characterization of the $\tilde{B}\leftarrow\tilde{X}$ transition of the chlorobenzene cation prepared in non-equilibrium rotational population distributions by resonance enhanced multiphoton ionization, F. Morlet-Savary, I. Dimicoli, C. Cossart-Magos and J.E. Parkin 159 (1992) 303

Field emission and field ionization
Excited states of hydrogen emitted from a graphite diffusion source: Arrhenius behaviour, E. Wallin and L. Holmlid 159 (1992) 313

Objects

Bulk systems

Gases
Interaction between two chemical reactions in gases. The nonequilibrium effects from the Boltzmann and Fokker–Planck equations within a Lorentz gas model, A.S. Cukrowski, A.L. Kawczyński, J. Popielawski, W. Stiller and R. Schmidt 159 (1992) 39
Characterization of the $\tilde{B}\leftarrow\tilde{X}$ transition of the chlorobenzene cation prepared in non-equilibrium rotational population distributions by resonance enhanced multiphoton ionization, F. Morlet-Savary, I. Dimicoli, C. Cossart-Magos and J.E. Parkin 159 (1992) 303

Supersonic beams
Fluorescence excitation spectrum of 1,8-disubstituted naphthalenes in supersonic jet, T. Chakraborty and M. Chowdhury 159 (1992) 439

Liquid mixtures and solutions
Chemical potential, partial enthalpy and partial volume of mixtures by *NPT* molecular dynamics, D.M. Heyes 159 (1992) 149
Solvatochromatic shifts studied by multi-configuration self-consistent reaction field theory. Application to azabenzenes, H. Ågren, S. Knuts, K.V. Mikkelsen and H.J.Aa. Jensen 159 (1992) 211
^{23}Na relaxation in DNA solutions. Influence of intercalation on correlation times and coupling constants, M. Hald and J.P. Jacobsen 159 (1992) 257

Crystals
Two-dimensional trajectories of tunneling in the symmetric double-well potential, V.A. Benderskii, V.I. Goldanskii and D.E. Makarov 159 (1992) 29

–neat
Interference and Fermi-resonant two-vibron bound states, P. Schanne and G.M. Gale 159 (1992) 1

–mixed
Optical and ODMR spectroscopy of an induced triplet X-trap in 1,4-dibromobenzene single crystals, B. Stein, F. Rothamel, T. Kirski, J. Kolenda and C. von Borczyskowski 159 (1992) 269

Low-dimensional materials
The radial distribution function for two-dimensional Lennard-Jones fluids: computer simulation results, F. Cuadros and A. Mulero 159 (1992) 89

Microscopic systems

Atoms
Time-dependent calculation of the energy resolved state-to-state transition probabilities for three-atom exchange reactions, M. Monnerville, P. Halvick and J.C. Rayez 159 (1992) 227
Assessment of Gaussian-weighted angular resolution functions in the comparison of quantum-mechanically calculated electron momentum distributions with experiment, P. Duffy, M.E. Casida, C.E. Brion and D.P. Chong 159 (1992) 347

Molecules (neutral and ionic)
MO LCAO analysis of the vibronic instability of the $CuCl_5^{3-}$ trigonal bipyramidal configuration. Critical view on the angular overlap model in vibronic problems, V.Z. Polinger, N.N. Gorinchoi and I.B. Bersuker 159 (1992) 75
The radial distribution function for two-dimensional Lennard-Jones fluids: computer simulation results, F. Cuadros and A. Mulero 159 (1992) 89
Variational approach to continuum orbitals in a spline basis: an application to H_2^+ photoionization, M. Brosolo and P. Decleva 159 (1992) 185

–diatomic
Collision-induced emission of $O_2(a\,^1\Delta_g \rightarrow X\,^3\Sigma_g^-)$ in the gas phase, J. Wildt, E.H. Fink, P. Biggs, R.P. Wayne and A.F. Vilesov 159 (1992) 127
Quasiclassical trajectory study of the effect of reactant rotation on the reaction $B^+ + HD \rightarrow BH^+(BD^+) + D(H)$, V. Klimo, J. Urban and J. Tiňo 159 (1992) 141
Time-dependent calculation of the energy resolved state-to-state transition probabilities for three-atom exchange reactions, M. Monnerville, P. Halvick and J.C. Rayez 159 (1992) 227
Site effects in spectra of matrix-isolated diatomic molecules: a modelling approach, M. Winter, K. Seranski and U. Schurath 159 (1992) 235
Site-resolved vibronic spectra of matrix-isolated NBr: comparison with model calculations, K. Seranski, M. Winter and U. Schurath 159 (1992) 247
Excited states of hydrogen emitted from a graphite diffusion source: Arrhenius behaviour, E. Wallin and L. Holmlid 159 (1992) 313

–small polyatomics
Ab initio calculation of anharmonic force fields for the methyl, silyl, germyl, and stannyl halides, W. Schneider and W. Thiel 159 (1992) 49
A semiclassical simulation for tunneling dynamics of malonaldehyde and hydrogenoxalate anion, E. Bosch, M. Moreno and J.M. Lluch 159 (1992) 99
Quantum-classical reaction path model for chemical reactions. IV. The reaction $Cl^- + CH_3Cl \rightarrow ClCH_3 + Cl^-$, G.D. Billing 159 (1992) 109
Valence-shell electron momentum distributions and ionization energy spectra of tetramethylsilane by symmetric noncoplanar (e, 2e) spectroscopy, T. Daniels, H. Zhu, M.P. Banjavčić and K.T. Leung 159 (1992) 289

The importance of periodic orbits in analysing photodissociation resonances: the O_3 case, S.C. Farantos 159 (1992) 329
Assessment of Gaussian-weighted angular resolution functions in the comparison of quantum-mechanically calculated electron momentum distributions with experiment, P. Duffy, M.E. Casida, C.E. Brion and D.P. Chong 159 (1992) 347
A weak-mode representation of floppy molecules. I. Potential energy, C. Saint-Espès, X. Chapuisat and F. Schneider 159 (1992) 377
A weak-mode representation of floppy molecules. II. Kinetic energy and total Hamiltonian matrix, X. Chapuisat and C. Saint-Espès 159 (1992) 391

–aromatics
Satellite lines at the ionization threshold in charge transfer systems, W. Wardermann and W. von Niessen 159 (1992) 11
Characterization of the $\tilde{B}\leftarrow\tilde{X}$ transition of the chlorobenzene cation prepared in non-equilibrium rotational population distributions by resonance enhanced multiphoton ionization, F. Morlet-Savary, I. Dimicoli, C. Cossart-Magos and J.E. Parkin 159 (1992) 303
Fluorescence excitation spectrum of 1,8-disubstituted naphthalenes in supersonic jet, T. Chakraborty and M. Chowdhury 159 (1992) 439

–polymeric and biological
^{23}Na relaxation in DNA solutions. Influence of intercalation on correlation times and coupling constants, M. Hald and J.P. Jacobsen 159 (1992) 257

Molecular aggregates

–dimers
Driven damped harmonic oscillators perturbed by the parity operator, P. Blaise, M. Giry and O. Henri-Rousseau 159 (1992) 169

–clusters
From cluster to crystal: ab initio calculations of the OH^- frequency in lithium hydroxide monohydrate, K. Hermansson 159 (1992) 67

–complexes
MO LCAO analysis of the vibronic instability of the $CuCl_5^{3-}$ trigonal bipyramidal configuration. Critical view on the angular overlap model in vibronic problems, V.Z. Polinger, N.N. Gorinchoi and I.B. Bersuker 159 (1992) 75
Collision-induced emission of $O_2(a\,^1\Delta_g\rightarrow X\,^3\Sigma_g^-)$ in the gas phase, J. Wildt, E.H. Fink, P. Biggs, R.P. Wayne and A.F. Vilesov 159 (1992) 127
A matrix isolation study of the water–formaldehyde complex. The far-infrared region, B. Nelander 159 (1992) 281

Free radicals (including hydronium and muonium)
Excited states of hydrogen emitted from a graphite diffusion source: Arrhenius behaviour, E. Wallin and L. Holmlid 159 (1992) 313

Defects and impurities
Site effects in spectra of matrix-isolated diatomic molecules: a modelling approach, M. Winter, K. Seranski and U. Schurath 159 (1992) 235
Site-resolved vibronic spectra of matrix-isolated NBr: comparison with model calculations, K. Seranski, M. Winter and U. Schurath 159 (1992) 247

Phenomena

Molecular structure
MO LCAO analysis of the vibronic instability of the $CuCl_5^{3-}$ trigonal bipyramidal configuration. Critical view on the angular overlap model in vibronic problems, V.Z. Polinger, N.N. Gorinchoi and I.B. Bersuker 159 (1992) 75
Variational approach to continuum orbitals in a spline basis: an application to H_2^+ photoionization, M. Brosolo and P. Decleva 159 (1992) 185
Comparative study on the structures and energies of the SiX_3, GeX_3 and SnX_3 series of radicals (X=H, F, Cl), J. Moc, J.M. Rudziński and H. Ratajczak 159 (1992) 197
A theoretical investigation of the electronic structure, hyperfine properties and binding energies of muonium centres in cuprous chloride, M. Casarin, G. Granozzi, E. Tondello and A. Vittadini 159 (1992) 365

Vibrations and rotations of molecules
Interference and Fermi-resonant two-vibron bound states, P. Schanne and G.M. Gale 159 (1992) 1
Ab initio calculation of anharmonic force fields for the methyl, silyl, germyl, and stannyl halides, W. Schneider and W. Thiel 159 (1992) 49
From cluster to crystal: ab initio calculations of the OH^- frequency in lithium hydroxide monohydrate, K. Hermansson 159 (1992) 67
Quasiclassical trajectory study of the effect of reactant rotation on the reaction $B^+ + HD \rightarrow BH^+(BD^+) + D(H)$, V. Klimo, J. Urban and J. Tiňo 159 (1992) 141
A matrix isolation study of the water–formaldehyde complex. The far-infrared region, B. Nelander 159 (1992) 281
The importance of periodic orbits in analysing photodissociation resonances: the O_3 case, S.C. Farantos 159 (1992) 329
A weak-mode representation of floppy molecules. I. Potential energy, C. Saint-Espès, X. Chapuisat and F. Schneider 159 (1992) 377
A weak-mode representation of floppy molecules. II. Kinetic energy and total Hamiltonian matrix, X. Chapuisat and C. Saint-Espès 159 (1992) 391

Electronic structure and states
Satellite lines at the ionization threshold in charge transfer systems, W. Wardermann and W. von Niessen 159 (1992) 11
Site-resolved vibronic spectra of matrix-isolated NBr: comparison with model calculations, K. Seranski, M. Winter and U. Schurath 159 (1992) 247
Valence-shell electron momentum distributions and ionization energy spectra of tetramethylsilane by symmetric noncoplanar (e, 2e) spectroscopy, T. Daniels, H. Zhu, M.P. Banjavčić and K.T. Leung 159 (1992) 289
Assessment of Gaussian-weighted angular resolution functions in the comparison of quantum-mechanically calculated electron momentum distributions with experiment, P. Duffy, M.E. Casida, C.E. Brion and D.P. Chong 159 (1992) 347

A theoretical investigation of the electronic structure, hyperfine properties and binding energies of muonium centres in cuprous chloride, M. Casarin, G. Granozzi, E. Tondello and A. Vittadini 159 (1992) 365

Electric and magnetic properties

^{23}Na relaxation in DNA solutions. Influence of intercalation on correlation times and coupling constants, M. Hald and J.P. Jacobsen 159 (1992) 257

Molecular interactions

Collision-induced emission of $O_2(a\,^1\Delta_g \rightarrow X\,^3\Sigma_g^-)$ in the gas phase, J. Wildt, E.H. Fink, P. Biggs, R.P. Wayne and A.F. Vilesov 159 (1992) 127

Site effects in spectra of matrix-isolated diatomic molecules: a modelling approach, M. Winter, K. Seranski and U. Schurath 159 (1992) 235

A matrix isolation study of the water–formaldehyde complex. The far-infrared region, B. Nelander 159 (1992) 281

Spectral bandshapes and intensities

Driven damped harmonic oscillators perturbed by the parity operator, P. Blaise, M. Giry and O. Henri-Rousseau 159 (1992) 169

Characterization of the $\tilde{B} \leftarrow \tilde{X}$ transition of the chlorobenzene cation prepared in non-equilibrium rotational population distributions by resonance enhanced multiphoton ionization, F. Morlet-Savary, I. Dimicoli, C. Cossart-Magos and J.E. Parkin 159 (1992) 303

Coupling of electronic and nuclear motion

MO LCAO analysis of the vibronic instability of the $CuCl_5^{3-}$ trigonal bipyramidal configuration. Critical view on the angular overlap model in vibronic problems, V.Z. Polinger, N.N. Gorinchoi and I.B. Bersuker 159 (1992) 75

Fluorescence excitation spectrum of 1,8-disubstituted naphthalenes in supersonic jet, T. Chakraborty and M. Chowdhury 159 (1992) 439

Energy transfer processes

Optical and ODMR spectroscopy of an induced triplet X-trap in 1,4-dibromobenzene single crystals, B. Stein, F. Rothamel, T. Kirski, J. Kolenda and C. von Borczyskowski 159 (1992) 269

Energy transfer distributions for classical, collinear atom–diatom collisions, N. Snider 159 (1992) 339

Intramolecular dynamics

From cluster to crystal: ab initio calculations of the OH^- frequency in lithium hydroxide monohydrate, K. Hermansson 159 (1992) 67

A semiclassical simulation for tunneling dynamics of malonaldehyde and hydrogenoxalate anion, E. Bosch, M. Moreno and J.M. Lluch 159 (1992) 99

The dynamics of dressed variables, D.M. Charutz and R.D. Levine 159 (1992) 321

A weak-mode representation of floppy molecules. I. Potential energy, C. Saint-Espès, X. Chapuisat and F. Schneider 159 (1992) 377

A weak-mode representation of floppy molecules. II. Kinetic energy and total Hamiltonian matrix, X. Chapuisat and C. Saint-Espès 159 (1992) 391

–vibrational energy redistribution (including vibrational dissociation)
Driven damped harmonic oscillators perturbed by the parity operator, P. Blaise, M. Giry and O. Henri-Rousseau 159 (1992) 169
The importance of periodic orbits in analysing photodissociation resonances: the O_3 case, S.C. Farantos 159 (1992) 329

Luminescence spectra, yields and lifetimes
Solvatochromatic shifts studied by multi-configuration self-consistent reaction field theory. Application to azabenzenes, H. Ågren, S. Knuts, K.V. Mikkelsen and H.J.Aa. Jensen 159 (1992) 211

Coherence loss processes
Optical and ODMR spectroscopy of an induced triplet X-trap in 1,4-dibromobenzene single crystals, B. Stein, F. Rothamel, T. Kirski, J. Kolenda and C. von Borczyskowski 159 (1992) 269

Reactions (including dissociation)
Time-dependent calculation of the energy resolved state-to-state transition probabilities for three-atom exchange reactions, M. Monnerville, P. Halvick and J.C. Rayez 159 (1992) 227
Master equation for site distributions describing barrier crossing in the presence of anisotropic diffusion, G.J. Moro 159 (1992) 421

–gas phase
Interaction between two chemical reactions in gases. The nonequilibrium effects from the Boltzmann and Fokker–Planck equations within a Lorentz gas model, A.S. Cukrowski, A.L. Kawczyński, J. Popielawski, W. Stiller and R. Schmidt 159 (1992) 39
Quantum-classical reaction path model for chemical reactions. IV. The reaction $Cl^- + CH_3Cl \rightarrow ClCH_3 + Cl^-$, G.D. Billing 159 (1992) 109

–condensed phase
Two-dimensional trajectories of tunneling in the symmetric double-well potential, V.A. Benderskii, V.I. Goldanskii and D.E. Makarov 159 (1992) 29
Site-resolved vibronic spectra of matrix-isolated NBr: comparison with model calculations, K. Seranski, M. Winter and U. Schurath 159 (1992) 247
The dynamics of dressed variables, D.M. Charutz and R.D. Levine 159 (1992) 321

Tunnelling
Two-dimensional trajectories of tunneling in the symmetric double-well potential, V.A. Benderskii, V.I. Goldanskii and D.E. Makarov 159 (1992) 29
A semiclassical simulation for tunneling dynamics of malonaldehyde and hydrogenoxalate anion, E. Bosch, M. Moreno and J.M. Lluch 159 (1992) 99

Ionization (including Rydberg states)
Satellite lines at the ionization threshold in charge transfer systems, W. Wardermann and W. von Niessen 159 (1992) 11
Excited states of hydrogen emitted from a graphite diffusion source: Arrhenius behaviour, E. Wallin and L. Holmlid 159 (1992) 313

Molecular motion (including diffusive)
Master equation for site distributions describing barrier crossing in the presence of anisotropic diffusion, G.J. Moro 159 (1992) 421

Thermodynamic and transport properties
Chemical potential, partial enthalpy and partial volume of mixtures by *NPT* molecular dynamics, D.M. Heyes 159 (1992) 149

Structure of solids and liquids
The radial distribution function for two-dimensional Lennard-Jones fluids: computer simulation results, F. Cuadros and A. Mulero 159 (1992) 89